

---

## KEYWORD INDEX

---

- abort-replan scheme, 619
- acceleration, method of, 887
- active learning, 531, 1001
- adaptation, 813
- adaptive control, 531, 571, 595
- adaptive development, 691
- adaptive learning rates, 1009
- adaptive signal processing, 805
- additive noise, 1033
- adjoint operator, 333
- affin transformations, 1110
- alignment, 404, 452
- alphabet recognition, 159, 199
- ambiguity resolution, 233
- analog circuits, 789
- analog neural networks, 480, 748, 773, 797, 871
- analog VLSI, 539, 805, 813
- analog-digital hybrid, 741
- angular smoothness, 936
- anisotropic Gaussians, 1110
- anti-Hebbian learning, 59, 1017
- application, 781
- architecture selection, 683
- area of interest, 480
- arm movement, 627
- associative memory, 283
- attention, 420, 651
- audition, 813
- auditory nerve, 813
- auditory neurophysiology, 11
- autoregressive models, 667
- avascular necrosis, 645
- average-case learning, 855
- averaging phenomenon, 619
- axon growth, 91
  
- Bach, J.S. 267
- backgammon, 259
- backpropagation, 372, 1167
- backpropagation through time, 579
- backward prediction, 1151
  
- balltrees, 958
- Bayesian discriminant function, 1125
- Bayesian inference, 428
- Bayesian learning, 855
- Bayesian model, 839
- Bayesian technique, 167, 698, 658, 958
- behaviors, 531
- benchmarking, 1167
- bifurcation, 283
- biological audition, 813
- biological modeling, 3, 51, 101, 283, 595
- biophysics of computation, 51
- blind identification, 805
- blind separation of signals, 730
- blowfly, 27
- board, 773
- Boltmann machine, 217, 396, 871, 912
- boredom, 1001
- Boston housing price prediction, 1048
- bursting, 75
  
- C4.5 algorithm, 698
- cable theory, 43
- canonical discriminant analysis, 325
- CART algorithm, 698
- Cart-pole balancing, 563
- cascade neural network, 191
- case-role assignment, 969
- category learning, 969
- CCD processors, 741, 748
- central pattern generator (CPG), 101, 109
- cerebellum, 595, 611
- cerebral cortex, 611
- chaos, 887
- character recognition, 471, 488, 496, 504, 512
- Chebyshev norm, 1056
- chorale harmonization, 267
- circuit depth, 944
- circuit size, 944
- classifier chip, 741
- classification figure-of merit (CFM), 1125
- classification, 444, 1080, 1151

- classifier, 1102
- clustering, 460
- clustering, hierarchical, 985
- CMAC, 512, 595
- cognitive modeling, 3, 283
- coherence, 1017
- combinatorial optimisation, 1025
- communication, 863
- communication system, 722
- compartmental modeling, 35
- competence network, 531
- competing experts, 372
- complete gradient, 309
- complexity, 333, 863
- compositions, 1040
- compression, 364
- computer architecture, 781
- concept drift, 920
- cones, 764
- conjugate gradient, 645
- constrained optimisation, 1025
- constructive algorithm, 1072
- continuous speech recognition, 183
- continuous speech, 135
- contract transfer, 75
- contrast gain control, 75
- contrast sensitivity, 756, 764
- control problems, 259
- control, 531, 579
- convergence, 1167
- convergence, rate of, 1009
- convolver, 773
- cooperative field, 539
- corporate bond rating, 683
- cortex, 117
- cortical maps, 83, 412
- coupled oscillators, 101
- covariance learning, 109
- covert attention, 420
- cross-correlation, 11
- cross-validation, 571, 683, 1159, 1033, 1110
- current-mode, 764
- curve fitting, 958
  
- data analysis, 706
- decision trees, 1080, 1151
- decoding, 356, 691
- decoder, 691
- deformable models, 512
  
- degree of approximation, 1040
- delayed reinforcement learning, 259
- dendrited, 35
- dendrites, 51
- density estimation, 175, 667, 912
- derivatives, 895
- deterministic annealing, 428, 1025
- development, 91
- development, ocular dominance, 19
- development, visual maps, 83
- diagnosis, 1080
- diagnostic radiology, 645
- dice, 1125
- digit recognition, 512, 773
- digital signal processors, 773
- dimension reduction, 83
- dimensionality reduction, 460
- dimensionality, curse of, 563, 936
- direction selectivity, 756
- discontinuities, 372
- discriminant receptive field, 1102
- discriminative models, 667
- disparity tuning, 1017
- distortion learning, 895
- distributed computing, 722
- distributed motor representations, 611
- domain knowledge, incorporating, 659
- domain modeling, 428
- domination, 863
- dorsal coheat nucleus, 11
- drift-balanced stimuli, 714
- dynamic binding, 436
- dynamic programming, 488, 512, 539, 563
- dynamic systems analysis, 887
- dynamical threshold, 125
- dynamically-adaptive WTA, 341
  
- early vision, 756
- ECC, 691
- effective number of parameters, 471, 831, 839
- effective VC-dimension, 471
- efficiency, 1167
- efficient exploration, 531
- EGC classification, 637
- elastic matching, 512
- elastic models, 512
- elastic net, 1025
- electroencephalogram, 651
- electrophysiological data, 651

- elemental motions, 619
- EM procedure, 667
- EMG (electromyography), 191
- empirical risk minimization, 831
- encoder network, 233
- entrainment, 109
- entropy, 904, 1025
- equivalence networks, 879
- error bars, 839
- error measures, 1125
- error, saturation, 887
- error-correcting codes, 691
- event related potential, 651
- evolution, 1088
- excitatory-inhibitory models, 125
- expert networks, 985
- exploration, 531
- exploratory projection pursuit, 460
- eye movement, 351, 412, 504, 595
- eye position, 412
  
- fatigue, 125
- fault diagnosis, 667
- feature discovery, 259
- feature extraction, 821, 912
- feature grouping, 436
- feature map algorithm, 83
- feature maps, 488, 1141
- feedback, 396
- feedback-error-learning, 547
- feedforward Nets, 839
- final prediction error, 683
- financial applications, 683
- finite-state automata, 309, 317
- finite-state languages, 309
- firing statistics, 27
- “firm but fair” criterion, 1096
- first-order predicate logic, 217
- flexible Fourier series, 1048
- fly visual system, 27
- focus of attention, 480
- focused gamma net, 143
- Fonts, 1118
- forward dynamics model, 191
- forward model, predictive, 563
- forward propagation, 333
- frame systems, 428
- free energy, 1025
- frequency demultiplexing, 821
  
- FSA extraction, 309
- function approximation, 388, 1048, 1064
- function estimation, 831
- function fitting, 356
- function learning, 958
  
- G/splines, 1088
- games, 259
- gamma model, 143
- gap junctions, 764
- Gauss Newton method, 1159
- Gaussian mixture distributions, 1072
- Gaussian mixture, 512, 547, 993
- Gaussian quadrature, 936
- Gaze control, 380
- generalization error, 855
- generalization through rules, 969
- generalization, 209, 317, 683, 839, 950, 993, 1125, 1151
- generalized gradients, 1056
- generalized radial basis functions, 1133
- generative models, 667
- genetic algorithms, 1088, 1110
- Gibb’s distribution, 396
- global inhibition, 75
- global optimization, 159
- GMDH, 1064
- gradient descent, stochastic, 1009
- grammar learning, 317
- grammar, 209
- grammars, 428
- graph interpretation, 706
- Green’s function method, 333
- growth function, 879
  
- Hamilton-Jacobi-Bellman equation, 539
- handwritten digits, 488, 504, 912
- Harmonet, 267
- harmonic functions, 936
- head-centered, 412
- hearing, 813
- heart defibrillators, 637
- Hebbian learning, 19, 35, 805
- Hérault-Jutten networks, 730, 805
- hidden Markov model, 159, 167, 175, 667
- hierarchical modules, 291
- hierarchies, 985
- High-order network, 317
- High-order neural networks, 471, 1064

- higher-order units, 35
- hints, 325
- hippocampus, 51
- history compression, 291
- HMM, 159, 167, 175
- Hodgkin-Huxley equations, 51
- holography, 821
- Hopfield network, 217, 722
- horizontal cells, 764
- Hough transformer, 396
- human modelling, 1151
- hybrid algorithm, 1088
- hybrid decision tree/MLP, 637
- hybrid models, 175
- hybrid symbolic/subsymbolic processing, 969
- hybrid system, 267
  
- ICEG classification, 637
- illumination, 404
- image processing, 436, 444, 460, 1064
- image segmentation, 388, 436, 480, 504
- implementation, 781
- incremental learning, 920
- independent component analyzer, 805
- inferior temporal coding, 356
- information theory, 855
- inhibition, 756
- inhibitory interactions, 11
- input resistance, 43
- integrated circuits, 813
- integrated segmentation & recognition, 496, 504
- integrated symbolic/subsymbolic processing, 969
- integration, 351
- intercommunication network, 722
- interneurons, 101
- invariance, 895, 1017
- inverse kinematics, 589
- ion channels, 59
  
- Jacobian network, 895
- Janus, 183
  
- K-winner-take-all networks, 341
- Kalman filter algorithm, 698
- KBANN algorithm, 555, 977
  
- kernel approximation, 1159
- kernel density estimation, 1033
- kernel regression, 571, 1033
- kinematics, 589
- knowledge representation, logic, 217
- knowledge-based neural networks, 555, 977
- knowledge-level parallelism, 233
- Kohonen maps, 1141
  
- lagrangian relaxation, 1025
- lamprey, 101
- Langevin noise, 67
- language identification, 241
- language induction, 309
- Laplacian smoothness, 936
- lateral geniculate nucleus, 91
- learned unit response functions, 1048
- learning, 863, 789
- learning algorithms, 460
- learning curves, 855
- learning, distribution dependent, 904
- learning, feedback-error, 595
- learning, on-line, 1009
- learning, PAC, 904
- learning parsimony, 1159
- learning rates, adaptive, 1009
- learning, rules, 969
- learning, speed, 887
- learning strategies, 1001
- learning, supervised, 444, 985, 1133
- learning theory, 920
- learning time, 1167
- learning trajectory, 333
- learning, unsupervised, 388, 444, 460, 1133
- learning variances, 1133
- learning, VLSI implementation, 871
- learning with deficient data, 659
- least-squares models, 1088
- letter forms, 1118
- letters, 1118
- lie group, 895
- linear combinations, 452
- linear discriminant, 1102
- linear perceptron, 950
- linear threshold functions, 944
- linguistic stress, 225
- linguistics, 225

- LMS learning, 1064
- loading, 863
- local learning algorithms, 831
- local minima, 1001
- local regression, 571
- localized linear discriminant, 1102
- locally Lipschitzian functions, 1056
- locomotion, 109
- locomotor network, 101
- logic, propositional and first-order, 217
- low power VLSI, 637
- LPNN, 183
- luductive bias, 659
  
- machine translation, 183
- magnetic resonance imaging, 645
- manipulated object recognition, 547
- MANNCON algorithm, 555
- Markov random fields, 396
- Markovian decision tasks, 251
- MARS algorithm, 698
- mars, 1088
- maximum likelihood, 175
- maximum likelihood, 985
- MDACs, 741
- mean-field, 364
- mean field annealing, 1025
- mean field theory, 428, 871
- medical diagnosis, 645, 706
- meiosis, 1072
- memory, 356
- memory-based learning, 571
- method of moments, 11
- metrical theory, 225
- minimal surface data, 364
- minimum description, 388
- minimum description length, 993
- minimum output power, 730
- mixture distributions, 912
- mixture models, 372, 667, 985
- mobile robots, 539
- model merging, 958
- model-free regression, 1159
- modified metrics, 1110
- modular architecture, 251, 547
- modularity, 985
- monkey, 627
- Monte Carlo integration, 936
  
- motion, 756
- motion detection, 388
- motion detector, 714
- motor control, 380, 611
- motor learning, 603, 611
- movement detection, 27
- MS-TDNN, 135
- multi-model control, 547
- multi-module neural networks, 637
- multilayer networks with binary weights, 928
- multiple tasks, 251
- multiplicative noise, 67
- multiplying DAC, 637
- multiscale temporal structure, 275
- multi-state TDNN, 135
- muscle, 627
- musculo-skeletal system, 191
- music processing, 267
- mutual information, 372, 1096
- mutual inhibition, 341
  
- NARMA modeling, 301
- natural language processing, 233
- navigation, 251, 504, 539
- nearest neighbor, 571
- neighborhood preservation, 1141
- net talk, 1133
- neural coding, 27
- neural dynamics, 3, 59
- neural interactions, 11
- neural network pitch tracker, 241
- neural network-based segmentation, 241
- neural oscillation, 109
- neural reliability, 27
- neural signal processing, 351, 356
- neurobiology, 603
- neuro-computer, 781
- neuromodulation, 3, 283
- neuron model, 67
- NIST database, 496
- node-sensitivity, 1072
- node-splitting, 1072
- noise cancellation, 730
- noise on targets, 950
- noise tolerance, 209
- nondifferentiable functions, 1056
- nonlinear behavior, 603
- nonlinear dynamics, 821

- non-linear projection, 175
- non-linear regularization, 589
- nonsmooth optimization, 1056
- norm, weighted, 1133
- null inhibition, 756
  
- object recognition, 460, 428, 436, 452, 480
- object-oriented, 781
- objective functions, 1125
- Occam's razor, 839
- occlusion, 714
- optical character recognition (OCR), 480, 488, 496, 504, 512
- ocular dominance, 91
- ocular dominance columns, 83
- oculomotor system, 380, 603
- on-line learning, 333
- one-shot learning, 958
- operators, 325
- optical imaging, 83
- optical processing, 821
- optimal brain damage, 471, 683
- optimization, 789, 797
- optimization, nonsmooth, 1056
- optimization, stochastic, 1009
- orientation columns, 83
- orientation selectivity, 75
- oscillation, 3, 101, 109, 117, 125, 436
- oscillatory field, 539
- outlier sensitivity, 1159
- over-fitting, 950, 958
  
- PAC learning, 879
- parallel computer, 781
- parallel distributed semantic networks, 233
- parallel implementation, 871
- parallel processing, 722
- parameter estimation, 547, 789
- parameter networks, 396
- parameter setting problem, 789
- PARSEC, 183
- parsing, 183, 209
- path planning, 539
- pattern discovery, 444
- pattern discrimination, 35
- pattern recognition, 504, 773, 1125
- pattern reconstruction, 233
- pattern routing, 233
- perception learning, 225
- perception training, 1102
- perceptual learning, 372
- performance measurement, 1167
- perturbation analysis, 19
- phantom targets, 1096
- phase coupling, 436
- phase transition, 283
- phase-lock, 109, 117
- phonetic features, 241
- phonology, 225
- photoreceptor coupling, 764
- photorefractive materials, 821
- physiological data, 191
- PID control, 555
- piecewise linear classifier, 1102
- piecewise-linear networks, 1056
- pitch, 209
- pitch representation, 267
- point process models, 11
- polynomial approximation, 1048
- polynomial networks, 317, 1064
- polynomial uniform convergence, 904
- posterior likelihood, 985
- potentiation, 125
- predicate logic, 217
- prediction, 143, 291
- prediction risk, 683
- predictive model, 563
- predictive networks, 259
- prenatal development, 91
- principal component analysis, 471
- principal components, 1072
- prior knowledge, 659
- prior probability, 659
- probabilistic methods, 167
- probabilistic neural network (PNN), 1110
- probabilistic pattern recognition, 444
- probability density function, 175
- probability models, 912
- process control, 555
- projection pursuit, 912, 936, 1159
- projection pursuit regression, 1048
- promoter recognition, 977
- proofs, logic, 217
- propagation filters, 233
- prosodic features, 241
- prosody, 209
- pruning, 1072
- pyramidal cells, 43

- Q-learning, 251
- quantum theory, 19
- radial basis functions, 159, 167, 659, 667, 936, 958, 1033, 1133
- radiology, 645
- random-dot stereograms, 1017
- rates of convergence, 936
- rational functions, 1040
- rational function approximation, 1048
- real-time learning, 317, 333
- receptive field, 1102
- recognition, 356, 404, 452,
- recurrent back propagation, 275
- recurrent network, 109, 317, 267, 275, 291, 301, 325, 333, 380, 555, 603
- recurrent second-order networks, 309
- reduced description, 233, 275
- reduced neuron model, 67
- redundant inputs, 563
- regression models, 1088
- regularization, 471, 589, 950, 993
- regularization networks, 388
- regulating units, 341
- reinforcement learning, 251, 259, 512, 563
- replectance, 404
- representation of knowledge, logic, 217
- resistive networks, 797
- retina, 91
- retinal waves, 91
- reverse TDNN, 579
- rhythmogenesis, 101
- ridge function approximation, 936
- ring resonators, 821
- risk minimization, 831
- robot arm control, 589
- robot arm inverse dynamics, 1048
- robot control, 595
- robot navigation, 512, 531
- robust statistics, 571
- rolling mill, control of, 659
- routing, 722
- rule extraction, 317, 977
- rule learning, 969
- rule-based network, 444
- saccade, 504, 595
- saddle point approximation, 364
- sample complexity product (SCP), 1125
- scale variation, 480
- search-then-converge schedules, 1009
- second-order recurrent networks, 309
- second-order stimuli, 714
- segment-based approach, 241
- segmentation, 125, 396, 436, 488, 512
- segmentation, image, 388, 773, 797
- segmentation, image, speech, 496
- segmentation, motion, 388
- segmentation, speech, 135
- self-organization, 3, 59, 83, 496, 821, 1141
- selective attention, 420, 531
- separation of signals, 730
- separation of sources, 805
- sequences, 3, 135, 175, 283
- sequence learning, 251, 275, 291
- sequencing phrases, 233
- sequential pattern classification, 333
- shadows, 404
- shallow, 863
- shape recognition, 512
- short-term memory (STM), 125, 143
- shot noise, 27
- shunting inhibition, 764
- sigma-pi units, 35
- sigmoid circuit, 741
- signal classification, 637
- signal separation, 730
- silicon retina, 756, 764
- simplicity, 993
- simulated annealing, 789
- simulator, 781
- single neuron models, 51
- skeletonization, 1080
- sleep, 3, 283
- smooth pursuit, 380
- smoothing, 471
- smoothness constraint, 191
- SNR, 67
- soft competition, 1017
- somato-sensory information, 547
- source separation, 730
- sparse polynomial approximations, 1064
- sparse process, 364
- spatial coherence, 372
- spatial frequency selectivity, 75
- spatial representation, 412
- spatio-temporal integration, 43

- speech articulator, 191
- speech motor control, 191
- speech production, 191
- speech recognition, 135, 143, 159, 167, 175, 199, 1080, 1102, 1141,
- speech translation, 183, 209
- spelled letters, 135
- spiking neurons, 27
- spinal cord, 101
- splice-junction, 977
- splines, 512, 1040
- spline models, 1088
- spoken language, 183
- stability, 887
- staggered oscillations, 125
- statistical physics, 855
- statistical lower epsilon-capacity, 928
- steel plate mill, 698
- steelworks, adaptation in, 659
- stereo disparity, 1017
- stereo, 372
- stochastic approximation, 1009
- stochastic optimization, 1009
- stochastic resonance, 67
- stress systems, 225
- structural risk minimization, 471, 831
- structured architecture, 209
- subthreshold implementations, 637
- subtractive topology determination, 1080
- sunspot count prediction, 1048
- superposition scheme, 619
- supersmoother, 1159
- surface reconstruction, 364
- SWIFT, 420
- swimming, 101
- symmetric networks, 217, 879
- synaptic activity, 43
- synaptic competition, 91
- synaptic coupling dynamics, 11
- synaptic plasticity, 603
- synchronization, 109, 117
- system identification, 143, 531
  
- tangent prop, 895
- task sequence, 251
- TD ( $\lambda$ ) algorithm, 259
- TDNNs, 879
- temporal difference learning, 259
- temporal processing, 143, 175, 267, 275, 283, 356, 756
- tension, 627
- texture recognition, 444
- 3-D object recognition, 452
- threshold circuits, 944
- threshold networks, 879
- tied mixtures, 159, 167
- time constants, 275
- time delay neural network, 135, 579
- time series analysis, 651
- time series prediction, 301, 993
- time-multiplexing, 741
- time-varying concepts, 920
- tone and stress languages, 241
- topographic product, 1141
- topography, 91
- topology of connections, 1080
- topology preserving maps, 83
- training sample sizes, 879
- trajectory, 627
- trajectory generation, 579
- trajectory modification, 619
- trajectory planning, 619
- transfer of learning, 251
- travelling salesman problem, 1025
- tree-structured networks, 1064
  
- uniform convergence, 831
- universal sample bound for generalization, 928
- unsupervised classification, 1096
- unsupervised learning, 59, 372, 805, 821, 912, 1017
  
- Vapnik-Cherronenkis dimension, 879
- variable selection, 683
- VC-dimension, 471, 831, 855, 904, 928
- velocity tuning, 756
- vertebrate retina, 764
- vestibulo-ocular reflex, 351, 603
- vigilance, 651
- vision, 380, 388, 396, 412, 428, 504, 714, 797
- vision chip, 756
- visit, 420
- visual attention, 420
- visual cortex, 75, 380, 412
- visual development, 19, 83, 91
- visual filters, 75

- visual pattern recognition, 356
- visual perception, 436
- visual recognition, 452
- visual search, 420
- visual tracking, 380
- Viterbi algorithm, 488
- VLSI, 480, 748, 773, 781, 789, 797, 813, 871
- VLSI implementations, 637
- VOR, 351
  
- water tank control, 555
- wavelet decomposition, 444
  
- weight decay, 471, 839, 950, 993
- weight-elimination, 993
- weight pruning, 683
- weight-sharing, 993
- weighted metrics, 1040
- weights, 944
- winner-take-all networks, 341
- word recognition, 135
- world model, 563
  
- zip code recognition, 512