

---

## KEYWORD INDEX

---

- a priori knowledge, 50
- active learning, 483
- Adaline III, 244
- adaptation, 820
- adaptive control, 295, 303, 319, 335
- adaptive filtering, 921
- AIC, 607
- alphabet recognition, 712
- ambiguity resolution, 417
- analog, 789
  - Cochlear model, 666
  - computation, 666
  - simulator (of FitzHugh-Nagumo model), 993
  - stack, 65
  - VLSI, 244, 666, 765, 773, 828, 836
- analysis techniques, 27
- annealed approximation, 523
- annealing, 789
- aperiodic dynamics, 556
- applications, 755
- approximate dynamic programming, 319
- approximation power, 615
- area MST, 433
- area MT, 369
- arithmetic functions, 59
- artificial synapse, 813
- associative memory, 34, 236
- asymmetric networks, 556
- asymptotic jackknife estimator, 599
- asymptotic theory, 607
- asymptotics, 599
- asynchronous, 820
- attractor neural networks, 572, 805
- attractor transitions, 236
- attractors, 631
- audition, 820
- auditory cortex, 1007
- autoconfiguration, 797
- autoencoder networks, 279, 937
- autonomous navigation, 279
- axon, 781
- balanced error, 73
- basin hopping, 507
- batch training, 459
- Baum-Welch, 11
- Bayes decision rule, 688
- Bayesian, 385
  - analysis, 539
  - inference, 401
  - learning, 11, 475
  - models, 483
  - networks, 393
  - updating, 572
- BCM learning, 499
- benchmarking, 739
- best-first search, 11
- bifurcations, 236
- binary weights, 591
- binding problem, 903
- binomial approximations, 564
- biological modeling, 1022
- bistable system, 993
- Boltzmann machine, 172, 531
- boosting, 42
- bootstrap methods, 196
- boundary hunting classifier, 139
- C + + , 797
- canonical discriminant analysis, 27
- capacity control, 164, 228
- capacity tuning, 147
- CART algorithm, 131
- cascade correlation, 188
- Cauchy basis functions, 871
- cellular automata, 631
- censoring, 572
- cerebellum, 961
- certainty factors, 107
- channel capacity, 515
- channel equalization, 674
- chaos, 549, 556, 631
- character recognition, 42, 723
- character segmentation, 731

- chess, 204
- circuit depth, 59
- classical conditioning, 937
- climbing fibers, 961
- clustering, 425
- CMAC architectures, 319
- coding theory, 89
- cognitive modeling, 887
- combinatorial optimization, 401
- combinatorial structure, 27
- committee machine, 523
- committee of learners, 483
- competitive learning, 220
- compositional hierarchy, 401
- compositional representations, 855
- conductance-based models, 813
- confidence intervals, 196
- confusion vectors, 895
- connection structure analysis, 515
- consistency, 196, 696
- constrained architectures, 863
- constructive algorithm, 115
- constructive learning, 131
- constructive training, 139
- context-dependence, 649
- context-free grammars, 863
- context-free languages, 65, 847
- continuous speech recognition, 649, 712
- contour completion, 409
- control, 271
  - direct and indirect, 303
  - parameters, 549
- correlated activity, 985
- correlation of spike trains, 515
- correlational learning rules, 961
- coupled oscillators, 172
- covariance rule, 499
- crayfish, 993
- cross-validation, 228, 475, 539, 599, 649
  
- data compression, 580
- data matrixes, 164
- decision tree, 204
- depth planes, 385
- descending control, 921
- descent, 789
- desired signal design, 688
- development, 99, 969
- development-environment, 797
  
- diagnosis, 204, 755
- dichotomy implementation, 639
- diffusion, 459
- digital circuits, 805
- digital programmable circuits, 805
- dimensional separability, 377
- dimensionality reduction, 580, 739
- directional units, 172
- discriminants, 499
- distributed representations, 895
- DNA pattern recognition, 204
- dual problems, 147
- duration modeling, 712
- dynamic networks, 688
- dynamic programming, 263, 271, 295, 342, 723, 731
  
- ego-motion, 433
- eigenvector, 156
- elastic network, 255, 401
- electric fish, 921
- electric power demand, 739
- electrosensory system, 921
- EM, 393
- EMG (electromyography), 658
- encoder, 89
- energy-efficient, 820
- energy maximization, 385
- ensemble dynamics, 451
- entropy, 204, 499
- epileptic spike detection, 688
- equilibrium point control, 335
- equivalence of activation functions, 615
- error functions, 696
- error-correcting codes, 89
- event-address protocol, 820
- evidence, 539
- excitable system, 993
- expert knowledge, 871
- exploration, 263
- eye movement, 433, 441
  
- facilitation, 781
- fault tolerance, 89, 491
- feature detector, 1007
- feature maps, 123
- feature selection, 739
- feature space partitioning method, 674
- feudal reinforcement, 271

- figure-ground segmentation, 828
- filtering examples, 483
- finite difference method, 212
- first-passage time, 507
- Fisher's method of scoring, 164
- FitzHugh-Nagumo model, 993
- Fokker-Planck equation, 451, 507
- forecasting, 739
- formal language learning, 847, 863
- forward dynamics model, 658
- foveation maps, 969
- function approximation, 350
- function-counting theorem, 639
- fuzzy logic, 350, 871
  
- gain control, 921
- game of life, 631
- gating network, 369
- Gaussian mixtures, 139, 871
- Gaussian networks, 393
- Gaussian synapses, 765
- gene doubling, 99
- generalization, 164, 188, 342, 491, 523, 607
- generalized portrait, 147
- generative, 99
- genetic algorithms, 99
- geometry learning, 887
- gesture recognition, 393
- Gibbs energy model, 531
- gradient, 156, 212, 789
- grammar induction, 11, 65, 99, 180, 236, 847, 863
- grasping, 311
- growing network, 123
  
- Hamilton-Jacobi-Bellman equation, 319
- Hamiltonian dynamics, 475
- hamming network, 564
- hand gesture recognition, 393
- handwritten character recognition, 50, 441
- hardware implementation, 212, 773
- harmonic analysis, 19
- harmony, 847
- heading direction, 433
- Hessian, 156, 164
- hidden Markov model, 11, 649, 723, 731
- hidden unit space, 27
- hierarchy, 115, 271
- higher-order network, 115, 342
  
- hints, 73
- hippocampus, 556, 929, 937, 1030
- history-dependent dynamics, 572
- holographic memory, 34
- Hopf bifurcation, 1001
- Hybrid Monte Carlo, 475
- hybrid network, 3, 649, 723, 813
- hyperplane movement, 204
  
- identity map, 311
- image alignment, 731
- image processing, 425, 580, 755, 828
- image segmentation, 172, 425, 441
- implementation, 789
- incremental learning, 11, 115
- infomax principle, 953
- information compression, 311
- information gain, 499
- information theory, 350, 515, 953, 1030
- input resistance, 921
- insect, 1022
- integrate-and-fire neural network, 1001
- integration, 311
- intersecting regions, 27
- invariance, 73
- invariant classification, 50
- invariant distance, 50
- invariant object recognition, 903
- inverse kinematics, 255
- inverse model controller, 303
- iterated addition, 59
  
- K-means clustering, 139
- KBANN algorithm, 887
- Kohonen maps, 123
- Kolmogorov equation, 451, 507
  
- language modeling, 847, 895
- lateral excitation, 417
- lateral geniculate nucleus, 409
- lattice networks, 631
- learning, 73, 188, 789
  - adaptive, 467
  - unsupervised, 417
  - algorithm, 73, 499
  - control, 327, 335
  - curve, 607
  - dynamics, 631
  - from examples, 73

- queries, 483
- rate maximization, 156
- schedules, 73
- speed, 204
- trajectory, 491
- vector quantization (LVQ), 220
- letter recognition, 712
- lexical representations, 895
- likelihood ratio, 572
- limited precision, 212
- linear quadratic regulation, 295
- linear threshold functions, 59
- Linsker networks, 1007
- LMS tree, 335
- lobster, 913
- local inhibition–local feedback, 805
- local learning rules, 961
- local linear map (LLM), 188
- local minima, 459
- location-based attention, 903
- low firing, 572
- low-bandwidth, 820
- low-power, 820
- lower bounds, 615
  - on network-size, 19
- Mackey-glass, 188
- MAP estimate, 539
- Markov random field (MRF), 385
- MARS algorithm, 131
- matched filter, 688
- matching network, 401
- maximum information preservation, 953
- maximum margin classifier, 147
- maze learning, 271
- mean field theory, 172
- mechanoreceptor cell, 993
- medical diagnosis, 755
- membership queries, 483
- membrane conductance, 921
- memory-based classification, 50
- memory capacity, 180
- memory-based learning, 263
- metamorphosis, 131
- metastability, 523
- Metropolis algorithm, 475
- minimax algorithms, 147
- minimum description length (MDL), 11
- missing features, 393
- mixtures of experts, 369
- model merging, 11
- model selection, 196, 228, 599, 607
- model-free learning, 244, 836
- modular architecture, 712
- Monte Carlo integration, 475, 871
- mossy fiber, 961
- motion, 781
  - detection, 369
  - perception, 433, 781
  - segmentation, 369
  - unsmearing, 417
- motor
  - control, 311, 658, 1014
  - learning, 335
  - maps, 1014
- MRBF network, 131
- MS-TDNN, 696, 712
- multi-cell, 377
- multiple inheritance, 797
- multiresolution filters, 953
- multiresolution speech processing, 666
- muscle model, 913
- musculoskeletal system, 913
- mutual information, 361, 515, 953
- navigation, 342, 929
- nearest neighbor, 50
- network capacity, 639
- network dynamics, 556
- network interpretation, 863
- network simplification, 164
- neural computation, 1014
- neural development, 985
- neural dynamics, 236
- neural network pushdown automata, 65
- neural network visualization, 204
- neurocontrol, 342
- neuromodulators, 969
- neuron, 1030
- neuron simulator, 813
- neuron-computer interaction, 813
- Newton's method teacher, 303
- N-grams, 895
- node perturbation, 212
- noise, 89, 993
- noisy features, 393
- non-linear dynamics, 549
- nonparametric procedure, 196

- object recognition, 361, 401
- object-based attention, 903
- objective function, 712
- object-oriented simulator, 797
- obstacle avoidance, 342
- ocular dominance, 985
- ocular saccades, 1014
- oculomotor system, 961
- olfaction, 1022
- on-line
  - training, 156
  - character recognition, 723
  - estimation, 319
- ontogenesis, 99, 985
- optic flow, 433
- optical character recognition (OCR), 441, 731
- optimal brain damage, 164
- optimal brain surgeon, 164
- optimal control, 295, 319
- optimal encoding, 953
- optimal equalizer design, 674
- optimal-size neural networks, 19
- optimization, 244, 789
- oscillation, 236, 913, 1022
- oscillatory associative memory, 236
- oscillatory automation, 236
- outlier, 467
- overfitting, 188
  
- PAC learning, 591
- parallel implementation, 836
- PARCOR parameters, 658
- parity, 19
- partition of unity, 765
- pattern recognition, 180, 441, 704
- peg-in-hole insertion, 327
- penalty terms, 73, 228, 491, 871
- perceptrons, 591
- perceptual organization, 903
- perturbative learning, 836
- phase coding, 929
- phase transition, 523
- phase-locked oscillations, 903
- pheromone, 1022
- phonetic modeling, 649
- place cells, 929, 1030
- planning, 342
- pole balancing, 81
- polynomial networks, 99
  
- population coding, 377, 1030
- posterior probability, 539
- practice strategy, 335
- predictability minimization, 499
- predicted squared error, 139
- prediction, 188, 483
- predictive distribution, 196
- prehension, 311
- priming, 879
- principal components, 467, 580
- prior knowledge, 65, 73
- prior probability, 539
- probability estimation, 123
- projection pursuit, 3, 739
- pruning, 228, 871
- pulse-computation, 781
- pulsed neural networks, 773
- pushdown automata, 65
  
- Q-learning, 81, 263, 271, 295
  
- radial basis function, 19, 81, 131, 139, 147, 755, 765, 871
- RAN algorithm, 81, 131
- random connectivity, 549
- random neural network, 1001
- rat navigation, 929
- rational approximation, 19
- rational functions, 623
- read-once, 591
- realizations, 623
- real-time learning, 303
- receptive field, 377, 953, 985
- recognition, 311, 441
- recognition-based segmentation, 723
- recurrent network, 34, 65, 115, 180, 244, 556, 1014
- redundant manipulators, 255
- regularization, 147, 164, 228, 255
- Reichardt, 781
- reinforcement learning, 81, 263, 271, 295, 327, 969
- relaxation computation, 311
- reliability estimation, 279
- remote-sensing, 425
- repetition blindness, 879
- replica method, 523
- resampling, 196
- response pattern, 1022

- robot, 255, 335
  - control, 279
  - navigation, 263
  - path planning, 342
- rule-based, 350, 871
- rule-based network, 425, 887
- rule refinement, 871
- run-on handwriting, 723
  
- saccade, 441
- sample reuse, 196
- scale space, 401
- second derivatives, 156
- segmentation, 385, 441, 723, 903
- segmentation-driven training, 723
- segregated maps, 985
- seismic database, 139
- selective sampling, 483
- self-motion, 433
- self-organization, 123, 417, 467, 969, 1007
- semantic representations, 895
- sensory processing, 921
- sensory-motor systems, 342
- sequence learning, 115
- sequence processing, 863
- sequence recognition, 236
- shunting inhibition, 556
- Sigma-pi units, 147, 631
- singular value decomposition (SVD), 895
- skill acquisition, 327
- smooth pursuit, 961
- smoothing, 649
- sparse coding, 953
- sparse networks, 556, 572
- spatial frequencies, multiple, 409
- spatial memory, 929
- spatio-temporal dynamics, 1001
- speaker independence, 712
- speech
  - analysis, 666
  - processing, 666
  - production, 658
  - recognition, 11, 204, 649, 696, 704, 712, 773
  - spectrograph, 666
  - synthesis, 658
- speed of convergence, 196
- spiral waves, 1001
- stack memory, 65
  
- statistical mechanics, 467, 523
- stereo vision, 385
- stochastic approximation, 220, 459, 467, 836
- stochastic dynamics, 475
- stochastic gradient descent, 156, 244
- stochastic learning, 451, 507
- stochastic resonance, 993
- stochastic visual grammar, 401
- stomatogastric ganglion, 813, 913
- stopped training, 228
- storage capacity, 564
- strabismus, 985
- structural alignment, 855
- structure processing, 863
- structured representations, 855
- superior colliculus, 969, 1014
- symbol manipulation, 847, 863
- synapse, 515
- synaptic activity, 921
- synaptic weight noise, 491
- synchronization, 236
  
- tangent distance, 50
- temporal coherence, 361
- temporal difference, 81, 263, 969
- texture recognition, 425
- theory revision, 107
- thesaurus induction, 895
- threshold circuits, 19, 59
- threshold hamming network, 564
- time delay neural network (or TDNN), 417, 696, 712, 723
- time series prediction, 580, 739
- time warping, 180
- time-delay learning, 115
- topographic maps, 985
- topology-preserving map, 255
- trajectory classification, 180
- trajectory generation, 34
- trajectory learning, 244
- trajectory-specific motion tracking, 417
- transient detection, 688
- translation invariance, 361
- truck backer-upper, 350
  
- universal approximator, 3
- unsupervised learning, 361, 499, 953
  
- V1, 377

- VC-dimension, 147
- vector quantization, 220
- velocity estimation, 369
- vestibulo-ocular reflex (VOR), 961
- vision, 279, 361, 369, 441, 828
- vision chips, 820
- visual
  - attention, 903
  - cortex, 369, 377, 417, 433
  - development, 417
  - maps, 985
  - motion, 433
  - pattern recognition, 441
  - processing, 409
  - psychophysics, 433
- Viterbi algorithm, 731
- VLSI, 789, 820
- Voronoi tessellation, 220
- wave propagation, 1001
- wavelets, 666, 953
- weight
  - elimination, 164
  - sharing, 631
  - space equilibria, 451
  - space probabilities, 451, 507
- weight-decay, 475, 539
- word recognition, 879
- word representation, 879
- word sense disambiguation, 895
- zero-crossing, 781

