
KEYWORD INDEX

- A-current, 566
- a priori knowledge, 1001
- abstraction levels, 1178
- action potential, 927
- activation overlap, 1176
- active learning, 391, 679
- adaptation, 927
- adaptive
 - control, 647, 1077
 - filtering, 351, 559
 - grids, 663
 - momentum, 477
 - pattern recognition, 833
 - routing, 671
- address block location, 745, 785
- address reading, 785
- AIC, 293
- algebraic energy functions, 1184
- α -transformation, 271
- amplification, 519
- analog, 311
 - retrieval, 1109
 - VLSI, 582, 850, 858, 874, 927
 - VLSI chips, 769
- analogical similarity, 1109
- analysis techniques, 1117
- analytic continuation, 335
- analyzing wavelet, 423
- annealing, 896
- approximation power, 319
- architecture, 335
- area MT, 969
- arithmetic comparison, 1117
- artificial intelligence, 1143
- assemblies, 463
- associative memory, 919, 1125
- asymptotic convergence, 391
- asynchronous, 493
- attention, 1167
- attractor neural networks, 485, 493
- attractors, 75, 527
- audition, 1069, 1163
- auditory processing, 606
- auditory scene analysis, 1069
- auto-associative nets, 152
- autoencoder, 3, 271
- autoencoder networks, 11
- autonomous navigation, 655
- averaging, 1188
- Bach, J. S., 1163
- backpropagation, 232, 351, 1161
- backpropagation convergence, 383
- backpropagation-correction term, 200
- backpropagation simulation, 888
- barn owl, 614
- Bayes approach, 977
- Bayesian, 1001
 - inference, 208
 - learning, 200
 - model, 590, 606
 - networks, 285
 - updating, 485
- bee, 527
- best choice problem, 801
- bias variance, 367
- BIC, 293
- binary diamond, 1143
- binary weights, 359
- binding problem, 993, 1109
- biological modeling, 574, 904, 1077, 1167
- Boltzmann, 896
 - learning algorithm, 896
 - machine, 27, 83
- Boolean networks, 1143
- boosting, 1188
- Brownian motion, 83
- bumptree, 240
- C++, 843
- capacity, 375
- capacity control, 208, 303

- cascade-correlation with cross-validation, 793
- catastrophic forgetting, 1176
- catastrophic interference, 1176
- cellular neural nets (CNN), 888
- center-surround lateral connectivity, 629
- chaos, 647
- character recognition, 216, 911, 937
- chemistry, 208
- choice of activation function, 319
- circuit complexity, 359
- classification, 120, 136, 343, 1143
- clustering, 19, 27, 96, 184, 501, 590, 809
- coding, 463
- cognitive maps, 1101
- cognitive modeling, 1085, 1167
- color, 136
- committee machine, 399
- committee of networks, 208
- committees, 1188
- communication delay, 493
- comparing function, 801
- competitive learning, 112
- competitive neural networks, 104
- complex
 - analysis, 335
 - cell, 953
 - distance metrics, 168
- complexity, 391, 439
- componential code, 1085
- componential representation, 27
- compositional hierarchy, 285
- compression, 144
- computational efficiency, 1178
- computer vision, 1182
- conditional independence, 285
- confidence intervals, 415
- connection machine, 904
- connectionist hardware, 1178
- connectionist modeling, 1178
- constrained supervised learning, 1043
- constraint
 - boxes, 882
 - satisfaction, 896
- constructive learning, 88, 279, 1178
- content and co-content functions, 882
- context, 1180
- context-dependence, 75, 1180
- context modelling, 1051
- continuous representation, 19
- continuous speech recognition, 1059
- continuous-time dynamics, 858
- contractive system, 493
- contrast adaptation, 769
- contribution analysis, 1117
- control, 647, 719, 1169
- convergence proofs, 703
- convergence rate, 477
- convergent networks, 1184
- convolutional neural network, 745, 937
- coordinate descent, 96
- correspondence problem, 961, 985
- cortical map, 543
- cost function, 200, 1019
- counting function, 375
- coupled dynamics, 447
- covering problems, 1184
- critical phenomena, 439
- cross-connections, 1117
- cross-correlations, 629
- cross-validation, 59, 391
- cursive handwriting recognition, 833
- data clustering, 104
- decision tree, 240, 911, 1035
- deficient data, 128
- density estimation, 120, 961
- detection, 1019
- deterministic annealing, 96, 985
- deterministic Boltzmann machine, 896
- development, 543, 1001
- dichotomy, 375
- differential equation, 423
- diffusion networks, 83
- digital circuits, 911
- digital signal processor (DSP), 888
- dimension independent bounds, 319
- dimension reduction, 152
- diophantine equations, 431
- discontinuities, 977
- discrete gradient, 232
- discrete representation, 19
- discretization, 501
- discriminant learning, 1035
- discriminative models, 825

- discriminative training, 1019
- distance measure, 96, 152
- distortion measure, 152
- distributed implementation, 493
- distributed representations, 3, 11, 1109
- divide and conquer, 1180
- DNA pattern recognition, 761
- document processing, 745
- domain assumptions, 1169
- dopamine, 559
- DRAM, 843
- drug activity prediction, 216
- dual neural network, 801
- dynamic
 - networks, 850, 1011
 - programming, 590, 639, 663, 703
 - reposing, 216
 - systems, 719
 - time warping, 945
- dynamics, 447

- echo suppression, 1069
- effective complexity, 303
- effective number of parameters, 35
- eigenspace decomposition, 263
- eigenvector, 144
- elastic matching, 769
- electromyography (EMG), 1043
- EM, 120, 128, 937
- EM algorithm, 192
- encoder problem, 144
- encoders, 1101
- ensemble dynamics, 463
- ensembles, 1188
- entraining, 1163
- entropy, 19, 271
- error
 - bars, 208
 - correcting codes, 777
 - functions, 647
 - propagation, 455
- evidence procedure, 200
- evolutionary algorithms, 88
- exemplar selection, 391
- expectation-maximization, 96
- exploration, 160, 679, 1169
- eye movement, 945

- face recognition, 769
- facial feature tracking, 753
- factorial codes, 3
- factorial representation, 27
- factorization, 1180
- fan-in restrictions, 359
- fault detection, 825
- fault-prone software modules, 793
- fault tolerance, 455
- feature
 - detector, 745
 - extraction, 136, 785
 - manifold problem, 216
 - maps, 817
 - selection, 200
- figure/ground discrimination, 993
- figure of merit, 1019
- finite state machine, 19, 359, 501
- firing rates, 463
- Fisher information matrix, 293
- fitness landscapes, 51
- foraging, 598
- forgetting, 1176
- forward and inverse relaxation model, 1043
- forward dynamics model, 647
- forward modelling, 679
- free energy, 3
- frequency identification, 271
- frequency normalization, 953
- FSM extraction, 501
- function learning, 311

- gain, 874
- gain control, 551
- game playing, 817
- gamma memory, 1011, 1051
- gamma model, 1011
- gap-junction, 559
- Gaussian
 - classifier, 793
 - mixtures, 19, 120, 128, 825
 - networks, 850
 - synapses, 485
- gaze tracking, 753
- GDS, 1093
- gene modeling/genome modeling, 761
- gene parsing, 761

- generalization, 35, 240, 255, 263, 271, 311, 327, 343, 1176
 dynamics, 303
 error, 367, 375, 399
 unbiased estimation of, 391
 generalized cross-validation, 415, 1059
 generalized Hebbian algorithm, 144
 genetic algorithms, 51
 gesture recognition, 945, 961
 global training, 937
 global trajectory optimization, 663
 Go, 817

 H_∞ optimality, 351
 hand gesture recognition, 945
 handwriting model, 727
 handwriting recognition, 777
 handwritten character recognition, 727
 hardware implementation, 843
 hardware learning, 232
 hearing, 574
 Hebbian learning, 407
 Hessian, 263
 hidden Markov model, 75, 83, 719, 761, 825, 937, 1051, 1059
 hidden unit noise, 1101
 hierarchical
 filtering, 168
 learning, 655
 structure, 1109
 high-performance simulation, 888
 high-risk modules, 793
 higher order statistics, 136
 Hilbert's tenth problem, 431
 hill climbing, 51
 history-dependent dynamics, 485
 Hodgkin-Huxley model, 566
 Hoeffding's bound, 59
 Hopfield network, 485, 1125
 human-computer interaction, 753
 human genes/human genome, 761
 human memory, 1085
 hybrid methods, 1188
 hyperbolic, 455
 hypercube, 904

 ICEG (intra cardiac electrogram), 874
 illusory contours, 993
 image
 compression, 104
 processing, 911, 945, 1182
 segmentation, 745, 993
 understanding, 1143
 IMAX, 809
 implementation, 858, 911
 in loop training, 874
 incomplete data, 120, 128
 incremental learning, 255, 1178
 independent opinion pooling, 1027
 indirect adaptive methods, 695
 influence function, 192
 information criterion, 293
 information theory, 271, 551
 input modality, 753
 insect, 527
 integrate-and-fire models, 629
 integrate-and-fire neural network, 535
 integrated mean squared error, 391
 integrated segmentation and recognition, 1027
 interactive simulator, 888
 interference, 1176
 intermediate-level vision, 993
 internal representation, 271, 614, 1101
 interneuron, 535
 invariance, 817
 invariant object recognition, 769
 inverse dynamics model, 1043, 1077

 k-d trees, 590, 711
 k-nearest neighbors, 168
 k-satisfaction, 439
 Karhunen-Loéve expansion, 136
 kernel hidden units, 271
 kernel regression methods, 1165
 knot placement, 247
 Kohonen network, 843

 Lagrange multipliers, 96
 Laguerre memory, 1011
 landmark learning, 1101
 language models, 176
 lateral inhibition, 535
 layout analysis, 785

- learning, 1182
 - algorithms, 75, 311, 351, 911, 1161
 - complexity of, 1161
 - control, 160, 663, 711
 - curves, 327
 - dynamics, 407
 - from examples, 311
 - structural, 88
 - supervised, 1182
 - theory, 176
 - vector quantization (LVQ), 112
- line segment matching, 985
- linear networks, 144
- lipreading, 43, 1027
- LMS, 351, 477, 1161
- loading problem, 431
- local
 - field potential, 629
 - kNN, 184
 - learning, 184, 1165
 - linear models, 152, 160
 - minimum, 423
 - models, 1180
 - principal components, 43, 152
 - time, 493
 - trajectory optimization, 663
- localization, 1069
- locally recurrent network, 1051
- locally weighed regression, 160
- low-risk modules, 793

- macaque, 543
- machine vision, 753
- Mackey-Glass, 850
- manifolds, 43
- MAP, 200
- MAP estimation, 19
- Markov
 - decision problems, 687, 695
 - decision processes, 703
 - models, 176
 - random fields, 977
- match networks, 285
- maximum entropy estimation, 104
- maximum likelihood estimation, 3, 120, 423, 679
- mean field annealing, 1184
- mean field theory, 882, 896, 977, 985
- memory-based learning, 59
- memory-based methods, 1165
- memory efficiency, 375
- memory retrieval, 1109
- minimal TP optimal control, 639
- minimization principle, 727
- minimizing disagreement, 112
- minimum description length (MDL), 3, 11, 293, 833
- missing data, 128
- missing features, 120, 961
- mixing function, 27
- mixture
 - distribution, 192
 - models, 120
 - of experts, 43, 719, 1180, 1188
- model-based recognition, 285
- model-based vision, 285
- model matching, 96, 985
- model merging, 1051
- model of neural system, 606
- model selection, 59, 192, 303, 327, 343
- modeling, 519
- modular architecture, 719, 817
- momentum, 477
- monotone system, 493
- Monte Carlo algorithms, 687
- motion, 977
- motion parallax, 969
- motion planning, 655
- motion priorities, 614
- motoneuron, 535
- motor control, 144, 614, 1043
- motor learning, 1077
- MT filter, 969
- multi-agent learning, 671
- multi-layer classifier, 793
- multi-layer perception, 248
- multidimensional scaling, 104
- multiple causes, 27
- multiplierless, 232
- muscle, 535
- MUSIC, 888
- music, 1163
- music cognition, 1085
- musk odor prediction, 216
- mutual information, 809, 911, 1001

- N-best paradigm, 1059
- natural images, 551
- nearest neighbor, 184, 843, 1165
- neocortex, 519
- NET32K processor, 785
- network
 - complexity, 303, 367
 - dynamics, 75, 493
 - simplification, 927
 - size, 303, 359
- neural computation, 904
- neural net simulator, 888
- neural networks, complexity of, 1161
- neural tree network, 1035
- neurocontrol, 647
- neurodynamical system, 455
- neuromodulation, 559
- neuromodulator, 598
- neuron, 527
- neuron MOS transistor, 919
- neuron simulator, 927
- NEXUS simulator, 953
- noise, 455
- noise sensitivity signature (NSS), 343
- noisy data, 128
- non-linear dynamics, 407
- nonmonotone
 - convergence, 383
 - dynamics, 485
 - optimization, 383
- nonparametric procedure, 343
- nonparametric regression, 160, 247
- novelty detection, 825
- NP-complete, 1161
- object
 - localization, 985
 - recognition, 745, 961, 1182
- objective function, 647
- observability, 335, 455
- Observers' Paradox, 501
- occlusions, 977
- Ockham factors, 208
- ocular dominance, 543
- oculomotor system, 582
- olfaction, 527
- on-chip learning, 896
- on-line
 - backpropagation convergence, 383
 - character recognition, 937
 - learning, 184, 477, 825
 - training, 566
 - word recognition, 777
- $1/f$ noise, 629
- one-shot learning, 1143
- optic tectum, 606
- optical flow, 977
- optical imaging, 543
- optimal
 - brain damage, 263
 - brain surgeon, 263
 - control, 639, 655, 663, 703
 - convergence, 477
 - experiment design, 679
 - signalling, 485
 - size neural networks, 343
- optimality, 1184
- optimization, 51, 407, 1184, 1188
- orientation selectivity, 543
- orthogonalization, 144, 614
- oscillations, 463, 629, 866
- overfitting, 343, 590
- overlap of representations, 1176
- overtraining, 263
- owl, 606
- PAC-learning, 311
- packet routing, 671
- parallel
 - backpropagation, 383
 - implementation, 843
 - machines, 1178
 - supercomputer, 888
- parameter estimation, 566
- pattern formation, 629
- pattern recognition, 945
- pen-based computing, 737
- penalized log likelihood, 415
- penalty terms, 1093
- perception classifier, 793
- perceptual vividness, 993
- performance prediction, 327
- perturbation, 455
- perturbed gradient, 383

- phase-locking, 866
- phase transition, 439
- phases of learning, 303
- phoneme timing estimation, 727
- phonetic modelling, 1051
- piecewise-linear classifier, 112
- pitch, 1085
- point matching, 985
- poles, 335
- population codes, 11
- practical TPDP, 639
- precedence effect, 1069
- preceptive field surround, 969
- prediction, 343, 598, 1163
- prediction suffix trees, 176
- predictive Hebbian learning, 598
- pretraining, 1176
- principal components, 27, 43, 407
- principal components analysis (PCA), 35, 136, 152, 1117
- principal components pruning, 35
- prior knowledge, 825
- prioritized sweeping, 695
- probability estimation, 961
- probalistic automata, 833
- programming environments, 1178
- projection pursuit, 1059
- protein secondary structure, 809
- pruning, 35, 200, 208, 263, 1035
- pruning algorithm, 293
- psychophysics, 953
- pulsed neural networks, 927
- pyramidal cells, 519

- Q-learning, 639, 671, 703
- Q-routing, 671
- quantization, 19, 232
- querying, 679

- RAAM model, 1125
- radial basis function, 240, 255, 319, 423, 647, 843, 850, 961, 1165
- random k-CNF, 439
- rate code, 463
- RC networks, 882
- real-time dynamic programming (RTDP), 687, 695
- real-time learning, 858
- real-time vision, 753
- receptive field, 1077
- recognition-based segmentation, 745, 777
- recurrent inhibition, 535
- recurrent network, 75, 88, 279, 359, 431, 501, 566, 719, 858, 1051, 1085, 1180
- reduced-order control, 614
- regression, 35
- regularization, 35, 1059
- reinforcement learning, 639, 655, 663, 671, 687, 695, 703, 711, 817, 1169
- remote sensing, 850, 1143
- Renshaw cell, 535
- replica method, 399
- replicas, 439
- representation, 1085
- reproducing kernel Hilbert space, 415
- rescheduling, 801
- resource allocating network (RAN), 1165
- response pattern, 527
- retina model, 559
- retinal processing, 769
- retrieval of stored pattern, 375
- reverberation suppression, 1069
- risk
 - statistical, 391
 - unbiased, 415
- robot
 - control, 655
 - learning, 160
 - navigation, 711
- robotics, 679, 1077, 1169
- robust learning, 655
- robust regression, 192
- robustness, 351
- routing, 671
- rule-based networks, 1143
- rule generation, 1093

- saccade, 582
- scale invariance, 551
- scheduling, 801
- second-order methods, 263
- segmental neural network, 1059
- segmentation, 745
- selective attention, 1180

- self-learning neural network, 919
- self-organization, 247, 255, 1001
- self-organizing feature maps, 104
- sensitivity to initial conditions, 501
- sensory integration, 606, 1027
- sequence learning, 75
- sequence recognition, 75
- shadowing, 455
- shape from texture, 953
- short-term memory, 1011
- shortest paths, 671
- Siamese neural network, 737
- sigmoidal functions of high order, 319
- sigmoidal input/output function, 485
- signal processing, 590
- signature verification, 737
- silicon retina, 769
- SIMD, 843
- simulated annealing, 1184
- simulation, 904
- single cells, 519
- singular value decomposition, 614
- singular values, 144
- singularities, 335
- smoothing spline, 415
- Sobolev spaces, 319
- soft classification, 415
- soft-hardware logic, 919
- softmax, 882
- solvable model, 423
- sound localization, 574, 1069
- sound separation, 1069
- space displacement neural network, 937
- sparse networks, 904
- spatial cognition, 1101
- spatial frequency, 953
- speaker recognition, 1035
- spectroscopy, 208
- speech, 1019
 - articulator, 1043
 - processing, 1035
 - reading, 1027
 - recognition, 1019, 1027, 1051
 - synthesis, 1043
- spike, 463
- spike sorting, 590
- spiking neurons, 629
- spin glass, 439
- splice junction recognition, 1093
- spline analysis of variance, 415
- stacking, 1188
- static complexity metrics, 793
- statistical
 - grammar, 1059
 - mechanics, 104, 399, 407, 882
 - physics, 977
- stochastic
 - approximation, 703, 858
 - gradient descent, 477
 - learning, 471
 - models, 833
 - networks, 83
- stomatogastric ganglion, 566
- structure-form-motion, 969
- superior colliculus, 582
- supersmoothing, 160
- surface interpolation, 969
- surface learning, 43
- surface perception, 993
- switched capacitor, 874
- symbol manipulation, 1125
- synapse circuit, 919
- synchrony, 535
- tangent distance, 168, 216, 1165
- tangent prop, 216
- target tracking, 866
- teacher forcing, 566
- template matching, 919
- temporal
 - difference, 687, 703, 817
 - pattern, 463, 1011
 - sequence, 1085
- texture compression, 953
- three-layered perception, 423
- threshold logic, 359
- threshold logic units, 375
- time-delay neural network, 737, 1027
- time series, 825, 1163
- time series prediction, 850, 1093
- topographic maps, 11
- topographic relations, 1101
- trainable gain, 874
- training data, 1182