

# Keyword Index

- a-Si:H, 763
- abstraction, 385
- action hierarchies, 385
- activation functions, 279
- active example selection, 593
- active learning, 231, 287, 385, 443, 593, 705, 1069
- active memory, 141
- active vision, 451, 893
- actor/critic algorithms, 401
- adaptive control, 1031
- adaptive critic, 401
- adaptive interface, 843
- adaptive optimal control, 361
- advantage updating, 353
- affine transformation, 713, 1101
- AIFNN, 1101
- alternating minimization, 569
- amorphous silicon memory, 763
- amplification, 3
- analog VLSI, 731, 755, 787, 795, 803, 817
- analog-digital VLSI, 811
- analog VLSI synapses, 763
- annealing schedule, 965
- approximate dot product, 747
- arm movements, 1117
- ART 1, 755
- articulatory loop, 51
- associative memory, 35, 77, 149, 513, 925
- associative net, 513
- attractor networks, 11, 35, 149
- attractors, 173
- auditory localization chip, 787
- auditory models, 827
- auditory system, 125
- autoassociative MLP, 991
- autoassociative networks, 941
- autoencoder networks, 165
- autonomous vehicle navigation, 657
- averaging, 419
- awareness, 11
- axon circuit, 739
- backpropagation, 191, 1031, 1055
- barn owl, 125
- basis functions, 157
- Bayesian inference, 255
- Bellman residual, 353
- bias, 295
- binary features, 475
- biological modeling, 61
- biophysical modeling, 3
- blind separation, 467
- block codes, 795
- Boltzmann learning, 435, 617
- boosting, 875
- bootstrap, 1055
- breast cancer, 1063
- cable theory, 69
- capacity information efficiency, 513
- CART, 1063
- cascade-correlation, 537, 601
- catastrophic forgetting, 419
- catastrophic interference, 19
- centroid, 999
- chaotic time series, 311
- character recognition, 747
- chemosensory receptors, 69
- chess, 1069
- circular normal density, 641
- City Block multilayer perceptron, 747
- classification, 1109
- cleanup process, 11
- clustering, 361, 459, 585, 625, 681, 713, 779, 999
- CMOS, 709, 811
- CMOS vector quantizer, 779
- coarse-to-fine search, 981
- cochlear model, 827

- cocktail party, 467
- cognitive models, 141
- cognitive task, 11
- combined estimators, 295, 419
- combining sensory modalities, 787
- committee, 231, 419
- compartmental models, 69
- competition, 199
- competitive clustering, 561
- competitive learning, 85, 475, 497
- computational complexity, 183
- computational models, 85
- conditional densities, 641
- conditional probability, 1047
- confidence, 1055
- confidence intervals, 489
- connectionist expert systems, 505
- consciousness, 11
- consolidation, 19
- constrained rank Gaussian mixtures, 681
- constructive learning, 537
- context, 981
- continuous speech recognition, 859
- continuous time, 353
- control, 19, 361, 1007, 1031
- control gain, 1031
- convergence, 585, 649
- convergence of backpropagation, 335
- convergence of stochastic gradient descent, 335
- convolution network, 901
- cooperation, 199
- cooperative vector quantization, 617
- coordinate transformations, 1125
- coronary artery bypass, 1055
- correlation based learning, 93
- correlation network, 909
- correlogram, 827
- cortical columns, 117
- cortical plasticity, 109
- cosine units, 537
- cost functions, 529
- credit assignment through time, 427, 553
- cross connections, 601
- cross-validation, 231, 489
- cursive handwriting recognition, 1109
  
- data sampling, 593
- data selection, 459
- data transformations, 223
- decision processes, 345
  
- decision theory, 1077
- decoding with dynamics, 795
- decorrelation, 475, 925
- deformable model, 965
- delay line, 739
- delusions, 149
- dementia, 35
- density estimation, 419, 641, 1047
- desynchrony, 199
- diagnosis, 1077
- differential games, 353
- direct multi-step prediction, 721
- direction selectivity, 3
- discrete-time, 883
- distance measures, 713
- distributed representations, 505, 577
- dopamine, 101, 141
- dynamic decay adjustment, 521
- dynamic modelling, 311
- dynamic programming, 345, 369, 393, 401
- dynamic writing transformation, 1093
- dynamical decorrelation, 925
- dynamical systems, 481, 1031
  
- early stopping, 263, 489
- effective complexity, 263
- effective machine size, 263
- electronic transformation, 69
- electronic space, 69
- electrotonus, 69
- EM algorithm, 419, 427, 435, 545, 553, 585, 617, 681, 713, 835, 957, 1077, 1085
- ensemble, 231
- entropy, 287, 467, 475
- error feedback, 1031
- ERS-1 satellite, 641
- estimation, 295
- evidence, 255
- example selection, 593
- expectation-maximization, 419, 427, 435, 545, 553, 585, 617, 681, 713, 835, 957, 1077, 1085
- experiment design, 593
- explanation-based neural networks, 1069
- extra outputs, 657
  
- face recognition, 747
- facial expressions, 909
- factorial coding, 467
- factorial learning, 561, 617
- feature maps, 577

- feedback, 925
- feedback connections, 3
- financial markets, 411, 529
- finite size effects, 217
- finite state machine, 697
- fixed point attractors, 319
- flat minima, 529
- floating gate synapses, 817
- focal lesions, 35
- forecasting, 721
- foreign exchange, 411
- forward model, 43
- frame of reference, 157
- function approximation, 231, 361
- fusion, 1007
  
- gain control, 925
- games, 1069
- Gamma operator, 883
- Gauss-Newton, 673
- Gaussian mixture models, 1077
- generalization, 207, 215, 223, 263, 287, 303, 327, 361, 489, 529, 649, 657, 1125
- generalization dynamics, 263
- gesture recognition, 901
- gesture-to-speech device, 843
- Gibbs sampling, 617
- global motion perception, 917
- Glove-Talk II, 843
- gradient descent, 585, 803
- grammar, 27
- grammar inference, 427
- graph matching, 713
- graph searching, 665
- ground truth, 1085
- grow-support algorithm, 369
- growing structures, 497
  
- H-infinity training, 191
- hallucinations, 149
- hand tracking, 901
- handwriting decomposition, 1023
- handwriting preprocessing, 1093
- handwriting synthesis, 1023
- handwritten character recognition, 965, 1093, 1101
- handwritten digit recognition, 999
- head direction, 173
- heart arrhythmia, 731
- heart attack, 1055
- Hebbian learning, 93, 319
- Hebbian synapses, 69
- Helmholtz machine, 1015
- hidden Markov models, 427, 435, 553, 617, 851, 859, 867, 875
- hidden state, 377
- hierarchical mixture of experts, 835
- hierarchical representation, 941
- hierarchies, 385
- high dimensional spaces, 747
- hints, 411
- hippocampal neurons, 69
- hippocampus, 173
- hippocampus model, 77
- HMM, 427, 435, 553, 617, 851, 859, 867, 875
- honey bee, 61
- horizontal connections, 109
- Hough transform, 965
- human-computer interaction, 901, 1039
- hybrid digital-analogue network, 1007
- hyperparameters, 255
- hysteresis, 3
  
- image analysis, 1085
- image compression, 941
- image interpolation, 973
- image model, 965
- image processing, 451, 901
- image pyramids, 941
- image recognition, 657
- image search, 981
- imperfectly learnable problems, 287
- implantable systems, 731
- incomplete data, 545
- incomplete patterns, 689
- information gain, 287, 475
- information theory, 467, 925
- inhibition, 61, 141
- instance-based learning, 377
- instantiation parameters, 965
- intercardiac electrogram classifier, 731
- interference, 1117
- interior point method, 569
- internal model, 43
- invariances, 991, 1007
- invariant distance, 999
- invariant recognition, 223
- inverse dynamics, 19
- inverse problems, 101
- iterated prediction, 311
- iterative projective scaling, 957

- joint probability distribution, 1077
- JPMAX, 933
- k-blocking, 279
- k-means, 585, 681
- k-nearest neighbor, 377
- Kalman filter, 43
- Kerr-type materials, 771
- keyboard input, 1039
- knowledge incorporation, 991
- knowledge representations, 601
- Kohonen map, 497, 893
- Korean speech recognition, 811
- Lagrangian, 771
- lateral connections, 117
- lateral geniculate, 133
- lateral inhibition, 109
- learning curves, 239, 303, 327
- learning dynamics, 207
- learning from hints, 411
- learning rate, 303
- least squares, 295
- lesions, 35
- LGN organization, 133
- Lie groups, 223
- limit cycles, 481
- limiting performance, 239
- linear perceptron, 207
- linear programming, 505
- Linsker model, 319
- lipreading, 851, 973
- LISSOM, 109
- local error bars, 835
- local linear models, 973, 1015
- local models, 697
- local PCA, 973
- locally weighted regression, 705
- LOESS, 705
- log-polar sensors, 893
- logistic regression, 1055, 1063
- long-term dependencies, 427
- low loss redundancy reduction, 247
- low power neural net, 731
- LVQ, 681
- Lyapunov exponent, 311
- macaque monkey, 93
- magnetic equilibrium, 1007
- manifold learning, 973
- Markov decision problems, 345, 393
- Markov decision process, 361
- Markov distributions, 279
- Markov Monte Carlo, 443
- master equations, 271
- maximum entropy, 459, 545
- maximum expected utility, 1077
- maximum likelihood, 489, 545, 633
- mean field theory, 957
- medical risk, 1055
- medicine, 1063
- memory, 51
- memory-based learning, 377
- minimax, 353
- minimax estimation, 191
- minimum description length, 165, 1015
- missing data, 459, 545, 689, 1077
- mixture models, 419, 459, 585, 641, 681, 689, 705, 713, 1015, 1077
- mixture of experts, 19, 419, 427, 633, 843, 859, 973, 1125
- model selection, 443
- model-fitting, 933
- modular architecture, 901
- modularity, 11
- moments, 271
- Monte-Carlo, 345
- morphogenesis, 133
- motion, 933
- motion processing, 165
- motor control, 43, 1017, 1125
- motor learning, 19, 1023, 1117
- motor maps, 893
- movement primitives, 1023
- MST, 165
- multi-resolution, 981
- multidimensional scaling, 459
- multiple attractors, 319
- multiple experts, 1085
- multiple outputs, 721
- multitask learning, 657
- n-of-m expressions, 609
- natural language, 27
- navigation, 173
- nearest neighbor, 377, 999
- nearest sequence memory, 377
- network analysis, 601
- network interpretation, 505, 609
- neural coding, 165
- neural control, 1031

- neural development, 93
- neural gas, 497, 625
- neural predictor, 1047
- neuroanatomy, 117
- neuro-chess, 1069
- neuromodulation, 141
- neuromorphic rendering, 69
- neuronal modeling, 3
- neuroscience, 125
- Newton optimization, 585
- NMDA synapse, 101
- noise, 649
- noisy data, 689
- noisy neurons, 279
- non-equilibrium systems, 271
- non-Gaussian limiting behavior, 335
- non-Markov environments, 377
- nonlinear control, 1031
- nonlinear decorrelation, 247
- nonlinear dynamics, 319
- nonlinear interpolation, 973
- nonlinear system identification, 883
  
- object recognition, 901, 933
- observer model, 43
- OCR, 965, 991, 1015, 1093, 1101, 1109
- ocular dominance, 93
- ocular dominance wavelength, 109
- ocular-motor learning, 1125
- olfaction, 61
- on-line learning, 303, 335
- optic flow, 165
- optical back-propagation, 771
- optical character recognition, 665, 991, 1015, 1093, 1101, 1109
- optical imaging, 93
- optical implementation, 771
- optimal brain surgeon, 673
- optimal stopping, 263
- orientation, 173
- orientation adaptation, 925
- orientation columns, 925
- orientation selectivity, 93, 117
- oscillator, 199
- outcome, 1063
- overfitting, 489, 529
  
- PAC learning, 215, 279
- pairwise classifier, 1109
- pancakes, 1015
- parallel implementations of MLP, 747
  
- parameter estimation, 545
- parameter fitting, 61
- parietal cortex, 157
- Parzen windows, 689
- patchy projections, 117
- pathological attractors, 149
- pattern classification, 665
- pattern model, 93
- pattern recognition, 999
- PCA-pyramids, 941
- perceptron, 279, 303
- perceptual learning, 917
- perceptual organization, 165
- performance prediction, 239
- periodic variables, 641
- persistent state, 11
- perturbative learning, 803
- phase space learning, 481
- phonological store, 51
- piecewise fits, 633
- plasma, 1007
- plasticity, 173
- plasticity site, 125
- plasticity-mediated competition, 475
- Poisson clumping heuristic, 327
- pose, 957
- posterior probabilities, 545, 1109
- prediction, 489, 1063
- prediction error, 443
- predictive coding, 1047
- prefrontal cortex, 141
- primary visual system, 319
- principal component analysis, 601, 941
- prior knowledge, 411, 419, 553, 713
- probabilistic classifier, 1109
- probabilistic interpretation, 489
- probabilistic outputs, 1109
- product units, 537
- protein sequences, 459
- pruning, 529, 673
- psychophysical models, 917
- psychophysics, 19
- pulse-based computation, 739
  
- Q-learning, 353, 361, 385, 393, 401
- qualitative analysis, 319
- quantization, 941
- quaternions, 957
- queries, 443, 593, 705
- query learning, 231, 287
- queueing systems, 393

- radial basis functions, 497, 521, 569, 1125
- rank deficient mixtures, 681
- rat, 173
- RBF, 521
- real-time recurrent learning, 673
- real-time control, 1007
- receiver operating characteristic, 875, 1085
- receptive field formation, 319
- receptor-transducer model, 61
- recurrent networks, 141, 311, 427, 553, 649, 697
- redundancy reduction, 247
- refractory effects, 271
- regression, 231, 489
- regularization, 223, 649
- rehearsal, 51
- reinforcement learning, 101, 125, 345, 361, 369, 377, 385, 393, 401, 1069
- relaxation, 199
- remote sensing, 641, 1085
- representation, 361
- residual gradient algorithms, 353
- robot arm kinematics, 505
- robustness, 191
- ROC , 875, 1085
- rotation invariance, 665
- rule extraction, 505, 601, 609
- rule verification, 505
  
- saccadic eye movements, 893
- saliency map, 451
- sample complexity, 215, 327
- sample size requirements, 327
- scene segmentation, 199
- schizophrenia, 141, 149
- second messenger, 61
- second-order methods, 529, 585
- second-order optimization, 673
- segmentation, 165, 901
- selective attention, 451
- selective gating, 199
- self-organization, 27, 77, 109, 319, 925
- semi-Markov decision problems, 393
- sense of direction, 173
- sensorimotor coordination, 157
- sensorimotor integration, 43, 1125
- sequence analysis, 933
- sequence learning, 427, 553
- sequence processing, 577
- serial order, 51
- shared hidden units, 721
  
- shift operator, 883
- short-term memory, 51, 141
- signal processing, 883
- single transistor synapses, 817
- singular value decomposition, 999
- skills, 385
- smooth value iteration, 369
- soft clustering, 957
- soft assign, 957
- softmax, 51
- spatial filters, 893
- spatial representations, 157
- speaker adaptation, 867
- speaker normalization, 867
- speaker transformation, 875
- spectrogram inversion, 827
- speech coding, 835
- speech processing, 467
- speech reading, 851
- speech recognition, 577, 859, 867, 875
- speech recognition with mixture of experts, 859
- speech reconstruction, 827
- speech representation, 827
- spikes, 739
- spiking neurons, 183
- state aggregation, 361
- state estimation, 43
- state identification, 377
- statistical mechanics, 271, 287, 545
- statistical physics, 255
- statistical properties of high-D spaces, 747
- stochastic approximation, 303, 335, 803
- stochastic gradient ascent, 101
- stochastic learning, 649
- stochastic neurodynamics, 271
- stochastic perceptrons, 279
- strabismus, 109
- structure, 385
- subjective probability, 1085
- subspace models, 999
- sun spots, 673
- superior colliculus, 893
- supervised learning, 255, 657, 721
- survival, 1063
- symbolic rules, 609
- symmetries, 223
- symmetry hint, 411
- synaptic interactions, 69
- synaptic perturbation, 101
- synchrony, 199

- system identification, 697, 883
- talker transformation, 875
- talking machine, 843
- tangent distance, 665, 991, 999, 1015, 1101
- TD learning, 721
- templates, 957
- temporal coherence, 933
- temporal difference, 401
- temporal difference learning, 1069
- temporal dynamics, 263
- temporal processing, 85, 883
- temporal sequences, 51
- text compression, 1047
- text prediction, 1039, 1047
- thalamus, 173
- thermodynamic limit, 207
- three-dimensional object recognition, 949
- three-state neurons, 271
- time series, 489
- time series prediction, 435, 673, 721, 835
- time-delay neural network, 697, 1093
- timing precision, 183
- TNM staging system, 1063
- tokamak, 1007
- topological map, 497, 577
- trajectory learning, 481
- transfer, 19
- transformation, 991
- transformation invariance, 665
- translation invariance, 665
- two-dimensional views, 949
- two-port analysis, 69
- two-spirals problem, 601
- typing, 1039
  
- unrealizable rule, 255, 287
- unsupervised 3-D object recognition, 949
- unsupervised learning, 109, 165, 247, 459, 467, 475, 497, 561, 577, 585, 617, 625, 681, 713, 933, 949
- unsupervised motor learning, 1023
- URAN, 811
  
- validity interval analysis, 505
- value iteration, 369
- van der Pol oscillator, 481
- variance, 295
- variance estimation, 705
- VC dimension, 215, 327
- VC bounds, 327
  
- vector quantization, 625, 779, 835
- vectorial code, 157
- velocity tuning, 3
- virtual examples, 411
- vision, 451, 933, 973
- visual attention, 451
- visual cortex, 3, 93, 157, 165
- visuomotor learning, 1125
- VLSI, 731, 811
- VLSI algorithms, 747
- VLSI dynamical decoder, 795
- VLSI synapses, 817
- vocabulary acquisition, 51
- VQ chip, 779
  
- weight decay, 529, 649
- weight perturbation, 803
- weight templates, 609
- well-formed state, 11
- wind vectors, 641
- winner-take-all, 51, 513, 681
- word spotting, 875
- working memory, 1117
  
- zip codes, 999

